Trees and Shrubs Semi-deciduous





Nickname:	
Species:	catclaw acacia
Site:	
Year:	
Obcorvor	

Directions: Fill in the date and time in the top rows and circle the appropriate letter in the column below. **y** (phenophase is occurring); **n** (phenophase is not occurring); **?** (not certain if the phenophase is occurring).

Do not circle anything if you did not check for the phenophase. In the adjacent blank, write in the appropriate measure of intensity or abundance for this phenophase.

	Date:							
Do you see	Time:							
Young leaves	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?
Leaves	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?
Flowers or flower buds	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?
Open flowers	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?
Fruits	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?
Ripe fruits	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?
Recent fruit or seed drop	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?
Check when data entered online:								
Comments:								

	Date:							
Do you see	Time:							
Young leaves	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?
Leaves	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?
Flowers or flower buds	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?
Open flowers	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?
Fruits	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?
Ripe fruits	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?
Recent fruit or seed drop	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?	y n ?
Check when data entered online:								

Comments:

Catclaw Acacia (Acacia greggii)

Phenophase Definitions



Directions:

As you report on phenophase status (Y, N or ?) on the datasheets, refer to the definitions on this sheet to find out what you should look for, for each phenophase in each species. To report the intensity of the phenophase, choose the best answer to the question below the phenophase, if one is included. Feel free not to report on phenophases or intensity questions that seem too difficult or time-consuming.



Leaves

Young leaves

One or more young, unfolded leaves are visible on the plant. A leaf is considered "young" and "unfolded" once its entire length has emerged from the breaking bud so that the leaf stalk (petiole) or leaf base is visible at its point of attachment to the stem, but before the leaf has reached full size or turned the darker green color or tougher texture of mature leaves on the plant. Do not include fully dried or dead leaves.

How many young leaves are present?

Less than 3;3 to 10;11 to 100;101 to 1,000;1,001 to 10,000; More than 10,000;

Leaves

One or more live, unfolded leaves are visible on the plant. A leaf is considered "unfolded" once its entire length has emerged from the breaking bud so that the leaf stalk (petiole) or leaf base is visible at its point of attachment to the stem. Do not include fully dried or dead leaves.

What percentage of the canopy is full with leaves? Ignore dead branches in your estimate. Less than 5%; 5-24%; 25-49%; 50-74%; 75-94%; 95% or more;

Flowers

Flowers or flower buds

One or more fresh open or unopened flowers or flower buds are visible on the plant. Include flower buds that are still developing, but do not include wilted or dried flowers.

How many flowers and flower buds are present? For species in which individual flowers are clustered in flower heads, spikes or catkins (inflorescences), simply estimate the number of flower heads, spikes or catkins and not the number of individual flowers.

Less than 3; 3 to 10; 11 to 100; 101 to 1,000; 1,001 to 10,000; More than 10,000;

Open flowers

One or more open, fresh flowers are visible on the plant. Flowers are considered "open" when the reproductive parts (male stamens or female pistils) are visible between or within unfolded or open flower parts (petals, floral tubes or sepals). Do not include wilted or dried flowers.



What percentage of all fresh flowers (buds plus unopened plus open) on the plant are open? For species in which individual flowers are clustered in flower heads, spikes or catkins (inflorescences), estimate the percentage of all individual flowers that are open.

Less than 5%; 5-24%; 25-49%; 50-74%; 75-94%; 95% or more;

Fruits

Fruits

One or more fruits are visible on the plant. For Acacia greggii, the fruit is a pod that changes from green to tan, red-brown or brown and splits open to expose the seeds. Do not include empty pods that have already dropped all of their seeds.

How many fruits are present?

Less than 3;3 to 10;11 to 100;101 to 1,000;1,001 to 10,000; More than 10,000;

Ripe fruits

One or more ripe fruits are visible on the plant. For Acacia greggii, a fruit is considered ripe when it has turned tan, red-brown or brown. Do not include empty pods that have already dropped all of their seeds.

What percentage of all fruits (unripe plus ripe) on the plant are ripe? Less than 5%; 5-24%; 25-49%; 50-74%; 75-94%; 95% or more;

Recent fruit or seed drop

One or more mature fruits or seeds have dropped or been removed from the plant since your last visit. Do not include obviously immature fruits that have dropped before ripening, such as in a heavy rain or wind, or empty fruits that had long ago dropped all of their seeds but remained on the plant.

How many mature fruits have dropped seeds or have completely dropped or been removed from the plant since your last visit?

Less than 3; 3 to 10; 11 to 100; 101 to 1,000; 1,001 to 10,000; More than 10,000;

